


Oil Pattern Distance	45	Reverse Brush Drop	43	Oil Per Board	50 ul
Forward Oil Total	24.9 mL	Reverse Oil Total	12.25 mL	Volume Oil Total	37.15 mL
Tank Configuration	N/A	Tank A Conditioner	FIRE	Tank B Conditioner	ICE

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	10	A	74	0.0	1.4	1.4	3700
2	3L	3R	5	10	A	175	1.4	8.4	7.0	8750
3	9L	9R	3	14	A	69	8.4	14.3	5.9	3450
4	9L	9R	3	18	A	69	14.3	21.9	7.6	3450
5	12L	12R	3	18	A	51	21.9	29.5	7.6	2550
6	13L	13R	2	18	A	30	29.5	34.6	5.1	1500
7	13L	13R	2	22	A	30	34.6	40.8	6.2	1500
8	2L	2R	0	26	A	0	40.8	45.0	4.2	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	B	0	45.0	35.0	-10.0	0
2	15L	15R	1	26	B	11	35.0	31.4	-3.6	550
3	13L	13R	1	22	B	15	31.4	28.3	-3.1	750
4	12L	12R	2	18	B	34	28.3	23.2	-5.1	1700
5	9L	9R	3	18	B	69	23.2	15.6	-7.6	3450
6	8L	8R	2	18	B	50	15.6	10.5	-5.1	2500
7	4L	4R	2	14	B	66	10.5	6.6	-3.9	3300
8	2L	2R	0	14	B	0	6.6	0.0	-6.6	0



Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 50



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	3.6	1.61	1.01	1.01	1.61	3.6

